

CLAIMS

1. An electronic system, comprising:

a portable host device having a connector; and

5 an expansion module adapted for quick-connect engagement in
and disengagement from the portable device via the connector,
comprising:

a series of one or more peripheral devices adapted to serve
different classes of functions;

10 a non-volatile memory for storing information that pertains to
configuring the different functions in the module;

a re-configurable unit adapted to establish connections,
implement functional portions, and control the system components;

15 a control device adapted, in cooperation with the host device, to
control re-configuring operations within the system upon connection of
the module with the host device; and

a software algorithm adapted to instruct the system to re-
configure itself with respect to functionality.

20 2. A method of reconfiguring the functionality of a portable
electronic device, comprising:

connecting an expansion module to the portable electronic device;

reading applications resident on the portable electronic device;

25 upon receiving a request to activate a new function to be provided
by the portable electronic device, automatically reconfiguring the
expansion module to provide the new function requested.

3. The method of claim 2, wherein the step of automatically reconfiguring comprises verifying that the request is consistent with the functions that are capable of being provided by the expansion module.

5

4. The method of claim 2, wherein the step of automatically reconfiguring comprises selecting components within the expansion module to perform the new function requested, and deselecting components within the expansion module that are not needed to perform the function requested.

10

5. The method of claim 2, further comprising signaling completion of the reconfiguring.

15

6. The method of claim 2, wherein the step of automatically reconfiguring comprises modifying an address space in memory in the expansion module to execute drivers within the expansion module to execute the new function requested.

20

7. The system of claim 1, wherein the re-configurable device comprises a field programmable gate array.

8. The system of claim 1, wherein the re-configurable device includes programmable circuitry.

25

9. The system of claim 1, wherein the peripheral devices include sensors.

10. The system of claim 1, wherein the peripheral devices include signal processing elements.

5 11. An expansion module adapted for quick-connect engagement in and disengagement from a portable, electronic portable host device, comprising:

 a series of one or more peripheral devices adapted to serve different classes of functions;

10 a non-volatile memory for storing information that pertains to configuring the different functions in the module;

 a re-configurable unit adapted to establish connections, implement functional portions, and control the components within the module;

15 a control device adapted, in cooperation with the host device, to control re-configuring operations upon connection of the module with the host device; and

 a software algorithm adapted to instruct the host device and the module to re-configure itself with respect to functionality.

20